

## EXPANSION OF WARD 7 AND 8

## GENERAL HOSPITAL (TEACHING) - PERADENIYA

## ADDENDUM FOR THE EXPANSION OF WARD 7 AND 8 TENDER

## VOLUME II ( Original) - SECTION 08 - BILL OF QUANTITIES

Item No	BOQ Description as per the original tender	New BOQ Description	Page No.
1C1	100mm thick Block masonry using Hollow blocks in 1:5 cement and sand mortar.	Masonry block work 100mm thick (Nominal) in walls in cement and sand 1:5 mortar using solid blocks made of cement and sand to the proportion of 1:10, confirming compressive strength not less than 2N/mm <sup>2</sup> .	50
1H1	Supplying and fixing Brass, Chromium Plated 12mm Dia <b>Bib tap</b> - (European or Equivalent Quality)	Supplying and fixing 20mm(1/2") dia. Approved, heavy quality chromium plated bib tap with 20mm(1/2") dia. P.V.C. Faucet Socket . (Rocell SD9A126 or equivalent)	55
1H11	Supply and fixing Brass, Chromium Plated 12mm Dia Pillar tap - (European or Equivalent Quality)	Supplying and fixing 20mm(1/2") dia. General approved chromium plated heavy quality swan neck type pillar tap with 01 No. P.V.C. Faucet Socket to existing wash basin/sink.	56
1H13	Supplying and fixing Plastic - 12mm Dia Angle valve.	Supplying and fixing Plastic - 20mm Dia Angle valve.	56
1H14	Supply and fix concealed valve-Brass Chromium Plated 12mm Dia (European or Equivalent )	Supply and fix 20mm dia Chromium plated Brass Conceal Valve (European or Equivalent )	56