DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA MINISTRY OF HEALTH & MASS MEDIA

TEACHING HOSPITAL - PERADENIYA RENOVATION WORK AT LABOUR ROOM

CONTRACT NO: THP/AD/36/2025

BIDDING DOCUMENT

Volume I

Invitation for Bids

Section 01 - Instructions to Bidders

Section 02 - Standard Forms (Contract)

Section 03 - Conditions of Contract

Section 04 - Form of Bid and Qualification Information

Section 05 - Schedules

Section 06 - Specifications

Section 07 - Bill of Quantities

Section 08 - Drawings

Section 09 - Standard Forms (Bid)

(Contractor			
•	AUTHER ACTOR	 	 	

<u>CONSULTANT</u> <u>CLIENT</u>

CENTRAL ENGINEERING CONSULTANCY BUREAU 415, BAUDDDHALOKA MAWATHA, COLOMBO 07.

MINISTRY OF HEALTH & MASS MEDIA
"SUWASIRIPAYA",
385 REV BADDEGAMA WIMI AWANSA T

385, REV BADDEGAMA WIMLAWANSA THERO MAWATHA,

COLOMBO 10.

CONTENTS

Invitation for Bids				
Section	1	-	Instructions to Bidders	5
Section	2	_	Standard Forms(Contract)	7
	Sta	anda	ard Form: Letter of Acceptance	9
	Sta	anda	ard Form: Agreement	10
	Sta	anda	ard Form: Performance security	12
	Sta	anda	ard Form: Advance payment security	13
	Sta	anda	ard Form: Retention Money Guarantee	15
Section	3	-	Conditions of Contract	16
Section	4	-	Form of Bid and Qualification Information	18
			Form of Bid	19
			Qualification Information	20
Section	5	-	Schedule	21
Section	6	-	Specifications	27
Section	7	-	Bill of Quantities Technical and Other Schedules	29
			Preambles to Bill of Quantities	30
			Bill of Quantities	
			Technical and Other Schedules	
Section	8	-	Drawings	32
Section	9	-	Standard Forms (Bid)	33
Check L	ist	for 1	Bidders	37

INVITATION FOR BIDS

1. INVITATION FOR BIDS (IFB)

MINISTRY OF HEALTH

TEACHING HOSPITAL PERADENIYA

RENOVATION WORK AT LABOUR ROOM

(Contract No: THP/AD/36/2025.)

1. The Chairman, Regional Procurement committee, Teaching Hospital Peradeniya on behalf of the Teaching Hospital, Peradeniya now invites sealed bids for **Renovation Work at Labour Room** as described below and estimated to cost Rupees 9.71M. (excluding VAT & Contingencies).

The Site is Located at the premises of Teaching Hospital, Peradeniya. Work to be carried out are mainly comprise of Demolisher, Painter, Plumber, Aluminum Works, Electrical Work Miscellaneous Works...etc. (For more detail refer BOQ).

The contract period will be 90 Days.

- 2. Bidding will be conducted through National Competitive Bidding Procedure.
- 3. To be eligible for contract award, the successful bidder shall not have been blacklisted and shall meet the following requirements.

CIDA (ICTAD) Registration Required:

Speciality: **Building**Grade : **C8 or above**

- 4. Qualification requirements to qualify for contract award include:
 - (a) Technical staff at site to be
- 1.One Technical Assistant (Civil, full time on site) NCT or equivalent with 3 year experience.
 - (b) Contractor has successfully completed at least two projects similar to this by value and complexity during last five years
 - (c) As the estimate cost for the procurement exceeds the Rs.5 million the bidder shall register at the registrar of Public Contract Sri Lanka at the time of submission of bids (PCA 3) and forward the certificate
 - 5. You may obtain further information from Director, Teaching Hospital, Peradeniya, Tel. No. 081 3990312 and inspect the bidding documents at the address given below from 09.00 hrs to 14.00 hrs.
 - 6. A complete set of Bidding Documents in English language may be purchased by you on the submission of a written application to the address given below, from 2025.08.22 until 2025.09.11 from 09.00 hrs to 14.00 hrs or download the bidding document browsing www.peradeniya-hospital.health.gov.lk upon payment of a non-refundable fee of Rs. 2,500.00

- 7. Bids shall be delivered to the address below on or before 10.30 hrs on 2025.09.12. Late bids will be rejected. Bids will be opened soon after closing in the presence of the bidders' representatives who choose to attend.
- 8. All bids shall be accompanied by a Bid Security of Rupees one hundred forty six thousand (Rs 146,000.00) only. The Bid Security shall be valid up to 105 Days from the closing date of the bid (including closing date of bid).
- 9. Bids shall be valid up to 77 Days.
- 10. The addressed referred to above is, Chairman, Regional Procurement committee, Teaching Hospital Peradeniya, Tel 081 - 3990312

SECTION - 1

INSTRUCTIONS TO BIDDERS

Notes:

Instructions to Bidders shall be read in conjunction with Section5 – Schedule given in Volume 2.

Instructions to Bidders will not be a part of the Contract and will ceases to have effect once the Contract is signed.

INSTRUCTIONS TO BIDDERS

Instruction to Bidders applicable to this contract is those given in Section 1 of the Standard Bidding Document for procurement of works Minor Contracts. ICTAD publication No.ICTAD/SBD/03, Second Edition ,January 2007, published by the Construction Industry Development Authority (CIDA).

This publication will not be issued with the bidding Document and the bidder is advised to purchase it from CIDA.

Instructions to Bidders shall be read in conjunction with the schedule provided under Section 5 of the Bidding Document.

Instruction to Bidders will not be a part of the contract.

SECTION - 2

STANDARD FORMS (CONTRACT)

Letter of Acceptance, Form of Agreement,
Forms of Performance Security, Form of Advance Payment Security
And

Form of Retention Money Guarantee

Notes on Standard Forms:

- Bidders shall submit the completed Form of Bid Security in compliance with the requirements of the bidding documents.
- Bidders should not complete the Form of Agreement at the time of preparing of bids.
- The successful Bidder will be required to sign the Form of Agreement, after the award of contract.
- Any corrections or modifications to the accepted bid resulting from arithmetic corrections, acceptable deviations, or quantity variations in accordance with the requirements of the bidding documents should be incorporated into the Agreement.
- The Form of Performance Security, Form of Advance Payment Security and Form of Retention Money Guarantee should not be completed by the Bidders at the time of preparation of bids.
- The successful Bidder will be required to provide these securities in compliance with the requirements herein or as acceptable to the Employer.

Notes on From of Letter of Acceptance

The Letter of Acceptance will be the basis for formation of the Contract as described in Clause 30 of the Instructions to Bidders. This From of Letter of Acceptance should be filled in and sent to the successful bidder only after evaluation of Bids and after obtaining approval from the relevant authority.

FORM OF LETTER OF ACCEPTANCE

(Letter head paper of the Employer)

		(Date)
To:		
	(Name of the Contractor)	
	(Address of the Contractor)	
	datedto exec	
price	on Work at Labour Room, Contrac of	Rupees
*	unt in figures and words) as corrected i orandum of Understanding (if any), is her	
The adjudicator shall be	/ shall be appo	inted by the Construction Industry
You are hereby instructed to proce documents.	red with the execution of the said works	in accordance with the Contract
The Start Date shall be:	(Fill as per Clause 6.1 of Condi	tions of Contract).
The amount of Performance Security of Contract).	v is: (F	ill as per Clause 4.4 of Conditions
The deadline for submission of Per- Conditions of Contract).	formance Security is	(Fill as per Clause 4.4 of
Authorized Signature:		
Name and title of Signatory:		

FORM OF AGREEMENT

This	s Agreement made the (Day) of ((Month) 2025, between Director, Teaching			
Hos	Hospital, Peradeniya. (Hereinafter called and referred to as "the Employer"), of the one part, and				
		(Name and address of Contractor)			
(He	reinafter called and referred to as "the Contractor"), of the other	part:			
calle	ereas the Employer desires that the Contractor execute Renovat ed and referred to as "the Works") and the Employer has accution and completion of such Works and remedying of any defe	ecepted the Bid by the Contractor for the			
The	Employer and the Contractor agree as follows:				
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract hereinafter referred to.				
2.	In consideration of the payments to be made by the Employer to the Contractor as indicated in this Agreement, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.				
3.	The Employer hereby covenants to pay the Contractor in consideration of the execute and complete the Works and remedy any defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.				
	Vitness where of the parties hereto have caused this Agreement ten in accordance with laws of Sri Lanka.	to be executed the day and year first before			
	Authorized signature of Contractor	Authorized signature of Employer			
	COMMON SEAL	COMMON SEAL			

	he presence of: messes:
1.	Name and NIC No.
	Signature
	Address
2.	Name and NIC No.
	Signature
	Address

FORM OF PERFORMANCE SECURITY

(Unconditional)

[Name and Ad	ldress of Issuing Branch or office]
Beneficiary:	Director, Teaching Hospital Peradeniya.
Date:	
PERFORMAN	NCE GUARANTEE No:
(Hereinafter	informed that
Furthermore, vis required.	we understand that, according to the conditions of the Contract, a performance guarantee
the Agency] he amount of figures](first demand in its obligation(seemand or the	of the Contractor, we
_	e shall expire, no later than theday of, 20[date,28 days beyond the pletion Date] and any demand for payment under it must be received by us at this office nat date.
[Signature (s)]	

FORM OF GUARANTEE FOR MOBILIZATION ADVANCE PAYMENT

BOND DATE SUM GUARANTEED		NUMBER:		
Beneficiary: Director, Teaching F Peradeniya	±			
In accordance with	Renovation Work at Lab the provisions of the C	Conditions of Contra	act, of the a	bove mentioned
(Name and address of Teaching Hospital, Pe under the	Contractor) [hereafter calleradeniya a bank guarantee said Contract	ed "the contractor"] se to guarantee his pr t in	roper and faitl an ar	nful performance nount of
			•••••	(amount of
contractor, agree unco merely, the payment whatsoever right of ob not exceeding	onditionally and irrevocably to the Director, Teaching ojection on our part and wit	to guarantee as prim Hospital, Peradeniya thout his first claim to (amo	nary obligator a on his first to the Contract ount of	and not as surety demand without or, in the amount guarantee),
	y the amounts recovered by	`	,	
the Works to be perfebetween you and the G	no change or addition to or formed thereunder or of an Contractor shall in any way notice or any such change, a	ny of the Contract D y release us from any	Occument which inability under	ch may be made
No drawing may be myou that an advance pathe Contract.	nade by you under this guar ayment of the amount listed	rantee until we have and above has been paid	received notice I to the Contra	e in writing from actors pursuant to
_	emain valid and in full effector, Teaching Hospital, Po		_	-

Signature and the Seal of the Guarantor:

Name of the Bank:
Address:
Date:
Witness:

FORM OF RETENTION MONEY GUARANTEE

NUMBER:	DATE:
SUM GUARANTEED:	
To: Director, Teaching Hospital, Peradeniya.	
(Hereinafter called and referred to as "the Employer")	
Name of the Contract Renovation Work at Labour Roman Employer in clause 10.5 of the Conditions of Contract that sum mentioned under the contract in pursuance of claunconditional guarantee acceptable to the Employer to the to 28 days beyond the end of the Defects Notification Period	at he would release to the contractor the full cause 10.5, on the contractor furnishing an e full value of the retention money, valid up
We	bly, guarantee to pay the Employer upon the bjection, any sum or sums within the said prove or to show grounds or reasons for the in and the said amount of Rupees
This guarantee shall be valid up-to (Date)	
Signature and Seal of the Guarantor	
Name of Bank	
Address	
Date	
Witness	

SECTION - 3

CONDITIONS OF CONTRACT

Conditions of Contract shall be read in conjunction with Schedule

Note - Conditions of Contract shall be read in conjunction with Schedule

CONDITIONS OF CONTRACT

Conditions of Contract that will be applicable for this Contract shall be that given in Section 3 of the Standard Bidding Document for Procurement of Works - Minor Contracts, ICTAD Publication No. ICTAD/SBD/03, Second Edition, January 2007, published by the Construction Industry Development Authority (CIDA).

The above publication will not be issued with the Bidding Document and Bidder is advised to purchase it from CIDA.

This Conditions of Contract shall be read in conjunction with "Schedule for Conditions of Contract" attached herewith.

SECTION – 4

FORM OF BID AND QUALIFICATION INFORMATION

FORM OF BID

Nam To:	e of Contract: Renovation Work at Labour Room Director, Teaching Hospital, Peradeniya.
Gent	lemen,
1.	Having examined the Conditions of Contract given in the Standard Bidding Document – Procurement of Works – Minor Contracts (ICTAD/SBD/03- Second Edition, January 2007 & Addendum 01 issued in January 2009), Schedule, Specifications, Bill of Quantities, Drawings and Addenda for the execution of the above named Works, we the undersigned, offer to execute and complete such Works and remedy any defect therein in conformity with the aforesaid Conditions of Contract, Schedule, Specifications, Bill of Quantities, Drawings and Addenda for the sum of Sri Lankan Rupees (without VAT)
	other sums as may be ascertained in accordance with the said Conditions.
2.	We acknowledge that the "Schedule" forms part of our Bid.
3.	We undertake, if our Bid is accepted, to commence the Works as stipulated in the Schedule, and to complete the whole of the Works comprised in the Contract within the time stated in the Schedule.
4.	We agree to abide by this Bid for a period of 77 days from the date fixed for receiving, or any extended period, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
5.	Unless and until a formal Agreement is prepared and executed, this Bid together with your written acceptance thereof, shall constitute a binding contract between us.
6.	We understand that you are not bound to accept the lowest or any Bid you may receive.
	d this
Signa	ature:
Addı	ress:
Witn	ess:

QUALIFICATION INFORMATION

(To be completed by the Bidder and submitted with the bid)

	Eligibility Requirement		Bidder's Qualification
ICTAD(CIDA) Registration	(attach copies of relevant pages from the reg		gistration book)
Registration Number			
Grade	C8 or above		
Specialty	Building		
Expiry Date			
Blacklisted Contractors			
Have you been declared as a default	ed contractor by NPA or any A	gency?	Yes / No
If yes provide details			
VAT Registration Number *			
Construction program	(attach as annex)		
Legal Status	(Public company / Private company / Partnership / Sole proprietor) - attach relevant copies as annex		
	Engionity Requirement		Bidder's Qualification
Qualification an experience of	Category, Experiences and Qualifications	Required Nos.	Proposed by bidder (Name. Experience and Qualifications)
key staff (attach relevant certificates)	Technical Assistant (civil – full time in site) – NCT or equivalent with 03 year experience.	01	
Value of similar works completed in last 5 years (Indicate only three largest projects)	2. Value Rs Year Year		
As the estimate cost for the proc			

As the estimate cost for the procurement exceeds the Rs.5 million the bidder shall register at the registrar of Public Contract Sri Lanka at the time of submission of bids (PCA 3) and forward the certificate.

Signature of the	Bidder:	

SECTION - 5

SCHEDULE

Note:

This section shall be read in conjunction with section I – Instruction to Bidders and Section 3 – Conditions of Contract, and is intended to provide specific information in relation to corresponding Clauses in Section I & 3. Whenever there is an ambiguity, the provisions in Section 5 – Schedule shall supersede these provided in the Section I – Instructions to Bidders and Section 3 - Conditions of Contract.

SCHEDULE

ITB Clause	Conditions of Contract Clause	Item	Data
1.	1.1.8	Employer is:	Secretary, Ministry of Health & Mass Media, 385, Rev. Baddegama Wimalawansa Thero Mawatha,. Colombo 10.
		Employer's R	Lepresentative: Director, Teaching Hospital, Peradeniya.
	1.1.10	Engineer is:	General Manager Central Engineering Consultancy Bureau, No.415, Bauddhaloka Mawatha, Colombo 07.
		Engineer's Re	presentative: Project Manager (HCW), Central Engineering Consultancy Bureau, Rajawella, Digana.
1. & 13.		Summary of	Work: Work to be carried out are mainly comprise of Demolisher, Painter, Plumber, Aluminum Works, Electrical Work Miscellaneous Worksetc (For more detail refer BOQ)
	1.1.21 Loca	ted at: Teaching	gHospital, Peradeniya
	Cont	ract Name: Rer	novation Work at Labour Room
	Bid V	•	Validity Period is 77 days from closing e of the Bid.
1.	1.1.14	Intended Completion Date	Intended Completion Date is: 90 Days from starting date
2.		Source	The Source of Funds is GOSL
3.		Of Funds Eligibility	The requirement is; registered with the

Construction Industry Development Authority (CIDA/ICTAD), under the

Grade :- **C8 or above** Specialty :- Building works

8.

The set of bidding document shall be comprised with the documents listed below;

Volume I – One bound document consist of one copy each of following sections,

Invitation for Bids

Section 01 – Instructions to Bidders

Section 02 – Standard Forms (Contract)

Section 03 – Conditions of Contract

Section 04 – Form of Bid and Qualification

Information

Section 05 – Schedules

Section 06 – Specifications

Section 07 – Bill of Quantities

Section 08 – Drawings

Section 09 – Standard Forms (Bid)

Volume II – Two separate bound documents, each consist of one Copy of following sections,

Invitation for Bids

Section 04 – Form of Bid and Qualification

Information

Section 07 – Bill of Quantities

- 12 (A) Enclosed in the envelope marked as "ORIGINAL";
 - (a) Fully bound Volume 1
 - (b) Bid Security

Bidder shall complete the schedules attached in the section 07 And

- (B) Enclosed in the envelope marked as "COPY"
- (a) One copy of fully bound Volume II

The Bidders may retain the Balance copy of Volume II, which consist of Section 4, Section 5 and Section 7.

13. 10.10 Price The Contract is not subjected to Adjustment price adjustment

16. Bid Security The amount of Bid Security shall be Sri

Lanka Rupees one hundred forty six thousand (Rs 146,000.00) only.

Bid Security

Validity Period The Bid Security shall be valid up

to 105 Days from the closing date

of the Bid.

Securities and Guarantees issued by the following institutions are acceptable:

- 1. A Bank operating in Sri Lanka, approved by the Central Bank of Sri Lanka.
- 2. Construction Guarantee fund.

Alternatively, the Tenderer can pay cash to Shroff of the Teaching Hospital, Peradeniya.

No interests will be paid on cash deposits

31. Performance Amount of performance security required is 5% of Initial Contract Price.

Securities and Guarantees issued by the following institutions are acceptable:

- 1. A Bank operating in Sri Lanka, approved by the Central Bank of Sri Lanka.
- 2. Construction Guarantee Fund

Also, the Tenderer can paid cash to Shroff of the

Teaching Hospital, Peradeniya.

No interests will be paid on cash deposits.

6.4 Late the amount to be paid is 0.05% of initial Completion contract price per Day, subjected to

Maximum of 10% of Initial

Contract Price.

Notification The period for Defects Notification of Defects is 365 Days from Taking Over.

10.3 Retention The retention from each payment

Shall be 10% of the work done, as per

The Interim Certificate.

The Limit of maximum amount of retention is 5% of Initial Contract Price.

13.1(c)	Insurance, Third Party	Minimum amount for third party insurance is Rs. 50,000.00 per Occurrence with the number of Occurrences unlimited			
13 (d)		Insurance for Employer and Contractor's Personnel	Minimum amount for Insurance for Employer and Contractor's Personnel is Rupees Fifty thousand (Rs.50, 000.00)		
33.	1.1.11	Adjudicator	Fees and types of reimbursable expenses to be paid to the Adjudicator Shall be on a case to case basis		
	14.0	Resolution of Disputes	and shall be shared by the Contractor and the Employer		

15 ADDITIONAL CLAUSES

15.1 Value Added

Taxes (VAT)

VAT component shall not be included in the rates. The amount written in the Form of Tender shall be without VAT.

If Bidder is registered for VAT, the Bidder shall indicate the amount of VAT claimed separately at the end of the Bill of Quantities, in addition to the net value of the Bid, along with VAT registration number. The amount written on the Form of Bid shall be without VAT. Any Bidder who does not declare his VAT registration number will be liable for rejection of his Bid.

If any Bidder is not registered for VAT, he shall indicate the net value of the Bid. Under this category Bidder shall obtain a letter from the Commissioner of Inland Revenue Department, certifying the Company has not been registered for VAT, shall be attached to the Bid. Any Bidder who does not comply with this requirement will be liable for rejection of his Bid

The same VAT percentage will be applicable to any Extra works and variation.

• No advance payment will be made.

SECTION - 6

SPECIFICATIONS

SPECIFICATIONS

The Works under this Contract shall be executed in accordance with the Specifications given in the following documents issued by the Institute for Construction Training and Development (ICTAD), "Savsiripaya",123, Wijerama Mawatha, Colombo 07.

<u>Publication No.:</u> <u>Description:</u>

SCA/4(Vol. I) Specifications for Building Works,

Vol. (I), Sri Lanka.

3rd Edition (Revised), July 2004.

SCA/4(Vol. II) Specifications for Building Works

Vol. (II), Sri Lanka.

2nd Edition (Revised) October 2001.

SCA/3/2 Specifications for Water Supply

Sewerage and Storm Water Drainage Works, Sri Lanka.

Second Edition (Revised), April 2002.

SCA/8 Specifications for Electrical and Mechanical works associated

With Building and Civil Engineering, Sri Lanka.

Second Edition (Revised), August 2000.

It is implied that the eligible Tenderers are fully acquainted with the above documents and therefore, those will not be issued to the Tenderers in this Tender.

However, the Tenderers may purchase the same if necessary from CIDA. "Savsiripaya", 123, Wijerama Mawatha, Colombo 07.

SECTION - 7

BILL OF QUANTITIES

PREAMBLE TO THE BILL OF QUANTITIES

- 1. The Conditions of Contract, the Specifications are to be read in conjunction with the Bill of Quantities.
- 2. The cost of complying with all conditions, obligations and liabilities described in the Conditions of Contract and the Specifications and the Bill of Quantities **including all overhead charges (excluding VAT), profit and Preliminaries** and carrying out the work as described shall be deemed to be spread over and included in the prices or sums stated by the Bidder in the Bill of Quantities. VAT should be separately added.
- 3. If the Bidder failed to price any Items in the Bill of Quantities then the cost of the work under such Item shall be held to be spread over and included in the prices given against other Items of work.
- 4. When trade names, brand and/or catalogue numbers are referred to, sole preference to any material or equipment is not intended. Any other material or equipment may be used, provided that the characteristics of type, quality, appearance, finish, method of construction and/or performance is equal to or superior to specify.
- 5. Whenever the method of measurement is not clear from documents available, the principles as given in the Sri Lanka Standard 573, 1999, Method of Measurement of Building Work shall be applicable.
- 6. All items of work shall comply exactly with the Contract unless otherwise approved by the Engineer and the rates and sums inserted in the Bill of Quantities shall be deemed to apply to the work as specified. If, for his convenience or reasons of availability, the Contractor proposes and the Engineer approves the use or provision of alternative items, materials or method of working, or equivalent or superior quality to those specified in the Contract, the rates and sums inserted in the Bill of Quantities shall not in any case be increased as a result.
- 7. The quantities set out in the Bill of Quantities are provisional and cover the approximate scope of the work which is anticipated to be performed by the Contractor. The actual quantities used for final measurement purposes will be determined by the Engineer by measurement of the work completed by the Contractor.
- 8. Where, for his own purposes or due to his own default, the Contractor carries out the Works in such a manner that the quantity of any Item of work in particular component to be measured for payment purposes differs from that directed by the Engineer, then payment shall be made according to the lesser of the actual quantity and that directed. An excess quantity in one part of the component shall not, however, be allowed to offset a deficit elsewhere in the same component for measurement purposes.
- 9. Where the determination for payment purposes of the quantity of any Item of work depends upon the measurement of existing features or ground levels and the like, then prior to carrying out any operations which might affect such measurement, the Contractor shall first take such levels and measurements as the Engineer may direct and, after the Engineer has had the opportunity to check the same, they shall be certified as agreed by both the Engineer and the Contractor.

- 10. In the event that the Contractor fails to observe the above procedure, the Engineer shall determine the quantity to be assumed for payment purposes using the best information available to him, and his decision in the matter shall be final.
- 11. Selected Bidder shall comply with the arrangement of work in the buildings and be ready to work part by part as required by the Authorities of Teaching Hospital, Peradeniya
- 12. Rates in the Bill of Quantities shall include all necessary materials such as cables, PVC conduits, PVC sunk boxes etc and labour required to complete the electrical installation to good working order.
- 13. Except where specifically stated, all costs associated with provision of all holes, openings, chases and ducts in other builders' work required for installation and make them good, shall be included in the rates.
- 14. Bidder should pay special attention to the work to be carried out, causing minimum disturbance or hindrance to the normal functions and activities of the users of the Teaching Hospital, Peradeniya
- 15. The Bills of Quantities should therefore, be priced to reflect all factors that would affect the bid and the progress of the works.
- 16. All electrical accessories should comply with relevant BS/IEC standards. For electrical accessories, manufacturer's guarantee should be produced if necessary.
- 17. The wiring installation shall comply with the requirements of IEE Wiring Regulations, latest edition.
- 18. Screens should be provided to prevent dust escaping from working areas.
- 19. Metric units are used throughout the Bill of Quantities for measurement purposes unless otherwise indicated. Abbreviations used in the Contract are as follows:-

mm - Millimeter

m - Linear meter

kg - Kilogram

m² - Square meter

m³ - Cubic meter

nr - Number

Rs. - Sri Lankan Rupees

Cts. - Cents

P. S. - Provisional sum

L. S. - Lump Sum

RENOVATION WORK AT LABOUR ROOM GENERAL HOSPITAL (TEACHING) - PERADENIYA

MAIN SUMMARY

ITEM	DESCRIPTION	AMOUNT Rs. Cts.
A	PRELIMINARIES	
В	DEMOLISHER	
С	PAINTER	
D	PLUMBER	
E	ALUMINIUM WORKS	
F	ELECTRICAL WORKS	
G	MISCELLANEOUS WORKS	
(a)	Sub Total I	
(b)	Ddt: Provisional Sum	930,500.00
(c)	Sub Total II	
(d)	Ddt:% Discount	
(e)	Sub Total III	
(f)	Add: Provisional Sum	930,500.00
(g)	Total amount for Bid	
(h)	Add : 18% VAT	
(j)	Total Amount with VAT	

Total Sum carried to Form of bid in words Rupees (without VAT)	
1 ,	
Signature of the Contractor :-	Witness:-
Address :-	Address:-

Date:-

RENOVATION WORK AT LABOUR ROOM GENERAL HOSPITAL (TEACHING) - PERADENIYA

PRELIMINARIES

Note:

- The Engineer/ Consultant may modify or amended any item, or delete inappropriate item/s or add new item/s, depending on the nature of the proposed work.
- 2 Mode of payment are as below.

Mode of Payment	Category
Reimburesement of actual cost on submission of the relevant document acceptable to the Engineer plus 5% of the actual cost of obtaining the insurance policies and securities.	A
60% on completion of temporary buildings or structures. 30% in equal installments over the contract period and balance 10% on dismantling and removal on completion.	С
Paid on satisfactory completion of the item	D
In equal installments over the contract period.	E
Mode of payment to be mutually agreed between contractor and the employer at the commencement of contract in relation to the program of work.	F
On the completion of work	G

- 3 The above recommended percentage may be adjusted by the Employer/Consultant to suit the particular project.
- 4 The tenderer is advised to visit the site of the proposed work, as it is his responsibility to ascertain the conditions, space govering access to the site, external working space, storage area, status of the adjoining properties etc.
- 5 Any preliminary item not listed below but deemed to be included in the tender rates, as no extras would be made.

Item	Description	Mode of payment Category	Unit	Amount Rs. Cts.
A	<u>PRELIMINARIES</u>			
	Insurance & Securities			
A1	Provisional Sum for providing a Performance Security	A	P.S	19,000.00
A2	Provisional Sum for providing an Advance Payment Security	A	P.S	30,500.00
A3	Provisional Sum for insurance of Works, Machinery & Equipment, Plant, Materials, third party persons & property at site as per the Contract. (All Risk Policy)		P.S	20,500.00
A4	Provisional Sum for insurance against accidents and injury to Contractor's personel as per the Contract. (Workmen Compensation)		P.S	10,500.00

Item	Description	Mode of payment Category	Unit	Am Rs.	ount Cts.
	Contractor's Facilities				
A5	Allow lump sum for constructing, maintaining, dismantling and removal on completion of the Works, a <u>temporary site office</u> , stores of adequate size including staff rest room and toilets and other facilities for the Contractor's site management staff in accordance with the plans prepared by the Contractor and concurred by the Engineer.		Item		
	Quality, Standars and Progress				
A6	Allow lump sum for provision of 3 sets of (Hard copies and soft copies) as built drawings of all services, for Engineer's approval.	D	Item		
	Health, Safety & Environment				
A7	Allow lump sum for providing all necessary safety measures to workmen at site conforming to the latest industrial safety regulations and as directed by the Engineer.	E	Item		
A8	Allow lump sum for maintaining the site in a clean and orderly manner at all times and during the entire contract period, demobilization, removal of all rubbish, debris and clearing up site on completion, leaving all in good order and handing over.		Item		
	Services & Facilities				
A9	Allow lump sum for supply of water for the works and paying all charges and other expenses in connection with the supply from water mains or any other alternative method of water supply, storage and reticulation.		Item		
	Sub Total carried to Grand Summary				

RENOVATION WORK AT LABOUR ROOM GENERAL HOSPITAL (TEACHING) - PERADENIYA

ITEM	DESCRIPTION	UNIT	QTY	RATE (Rs)	AMOUNT (Rs)
	Note:- (a) Rates are included for cleaning away debris within the Hospital Premises unless stated otherwise. Reusable/serviceable material shall be handed over to the client in formal way and any place of fixing and removing scaffolding.				
	(b) All preliminary cost work should be included within BOQ items.				
В	DEMOLISHER				
B1	Demolishing & clearing tiled, glazed floor or wall. (including cement bedding)	m ²	45		
B2	Removing & stacking wodden cupboards, racks, shelves weld mesh etcfrom existing walls.	m ²	20		
В3	Demolishing, Hacking up & clearing debris away of floor concrete, inclusive of rendering.	m ²	10		
B4	Demolishing bricks / Masonry block walls inclusive of plaster and any fixtures including debris cleared away.	m ²	10		
В5	Removing & stacking door or window (sash with frame) size up to 4.0m2 from existing walls.	nr	8		
В6	Removing & stacking Door or window sash size up to 4.0m2 from existing frames.	m ²	5		
В7	Removing & clearing debris away tiles Calicut or half round, removed from the roof excluding framework including stacking serviceable materials and debris cleared away.		1800		
В8	Removing & clearing debris away Corrugated sheets, iron, asbestos or aluminium alloy from roofs, excluding frameworks in two-storied buildings.		200		
В9	Removing & stacking Wash basins, cisterns, sinks, closets and urinals.	nr	10		
	Sub Total carried to Summary				
С	PAINTER Note: (1) Painting rates included for all kind of surface preparations required such as washing, cleaning, with detergents, scraping of existing paints where necessary, repairing of small cracks & patches with plaster of Paris & whiting powder sand papering etc. irrespective of the surface preparation described under each item except for the following.				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		01111	211	(Rs)	(Rs)
	(a) Complete remove of existing paint (100%) to exposed the original plaster.				
	(b) Repairing of cracks with cement sand mortar				
	(2) Rates for Varnish items includes all kind of surface preparations				
	staining & sanding sealer etc. except complete (100%) removal of existing varnish to expose bare surface.				
	(3) Scaffolding cost included in paint rates.				
C1	Cleaning fungi on surface using fungi removal & preparing surface for painting.	m ²	350		
C2	Paint filler, applying two coat to walls after cleaning and	m^2	1575		
	preparing surface of old works.	111	10.0		
C3	Paint filler applying two coat to soffit after cleaning and	m^2	950		
	preparing surface of old works.	m	930		
C4	Paint emulsion, applying two coats to walls after cleaning and	m ²	900		
	preparing surface.				
C5	Paint emulsion, applying two coats to soffit after cleaning and	m ²	500		
	preparing surface.				
C6	Paint exterior emulsion, applying two coats to walls after	m ²	675		
	cleaning and preparing on surfaces .				
C7	Paint exterior emulsion, applying two coats to soffit after	m ²	450		
C/	cleaning and preparing on surfaces.	m	450		
G 0		2			
C8	Paint enamel, applying two coats after cleaning and preparing surface .	m ²	550		
	Surface.				
C9	Paint WAPP, applying two coats to walls after cleaning and	m ²	150		
	preparing surface .				
C10	Polyurethane varnish, applying two coats after sand papering	m^2	<i>7</i> 5		
	and cleaning surface .				
	Sub Total carried to Summary				
1	Sub Total carried to Summary				

ITEM	DESCRIPTION	UNIT	QTY	RATE (Rs)	AMOUNT (Rs)
D	PLUMBER				
	Sanitary Fittings & Fixtures				
	Supply and installation of approved quality sanitary appliances with pipe specials, fittings, and special connecting to water supply, sewage and wastewater disposal pipes.	Note			
	Unless otherwise measured separately, Rates shall include for:				
	(a) Fittings such as taps, wastewater outlets, internal overflows etc. and supporting brackets, incidental materials for fixing.	Note			
	(b) Assembling, jointing together fixing components parts, and jointing to pipes including necessary coupling and for leaving perfectly clean and in perfect working order as on completion.	Note			
	(c) all necessary fixtures for sanitary fittings and special connection to water supply, wastewater and sewer lines	Note			
	(d) Jointing and connection pipes to sanitary fittings.	Note			
	(e) Testing and commissioning of the installation.	Note			
	(f) Making good the work disturbed.	Note			
	(g) Protecting the works	Note			
	(h) All Samples should be approved by the Engineer	Note			
D1	Supply & fixing approved Closet with working order in white vitreous china, syphonic system, hinged acrylic soft closing seat and lid including 20mm(1/2")dia. chromium plated angle valve and chromium plated flexible hose. Rate to include for necessary fixtures and special connection to water supply line and sewer lines.		2		
D2	Supplying & fixing 20mm(1/2") dia. bidet spray approved best quality. (chromiumplated)	nr	5		
D3	Supplying & fixing approved sink stainless steel with single drain board with chromium plated wastewater chain flexible horse, stay & waste plug		2		
D4	Supplying & fixing mirror for bathroom 450mm \times 600mm size approved quality with screws, plugs etc.	nr	5		
D5	Supplying & fixing Wash basin with pedestal Vitreous China 575 X 450 X 820mm (Rocell urban D or equivalent) and Chromium Plated Sawn neck Type Pillar Tap (Rocell N091214 or equivalent) complete with Waste Plug (Rocell A38, A43 or equivalent), chromium plated waste chain & stay		2		
D6	Supplying and fixing approved corner wash basin ceramic with 20mm(1/2") dia. chromium plated pillar tap, waste plug, chain and stay. (water connection and wastewater measured separately)		1		
D7	Supply and installation of stainless steel wired Soap dish . Rate shall include all fixtures.	nr	5		

ITEM	DESCRIPTION	UNIT	QTY	RATE (Rs)	AMOUNT (Rs)
D8	Supplying and fixing $20mm(1/2")$ dia. approved plastic bib tap with 1 No.P.V.C Faucet Socket .	nr	2	('')	()
D9	Supplying and fixing Shower rose approved best quality (plastic).	nr	5		
D10	Supplying & fixing approved stainless steel Towel rail with screws, plugs etc.	nr	2		
D11	Supplying and fixing 20mm(1/2") dia. Approved, brass-heavy quality chromiumplated Angle Value with 20mm(1/2") dia. P.V.C. Faucet Socket	nr	5		
D12	Stainless steel floor trap cover. Approxi. 150x150mm size, (European or Equivalent Quality)	nr	5		
D13	Allow for supply and fixing pipes, valves, cleaning eye, elbow,tees, bends, replacing commad covers, replacing cistern fittings, re arrange pipe lines, repairing drainage system and other unforseen Works.				250,000.00
	Sub Total carried to Summary				
E	ALUMINIUM WORKS				
	Aluminium extrusion should be manufactured under the certification of ISO 9001:2008				
	The work shall include supply, fabricate and installation of doors, windows out of Aluminium Sections. Tolerance for thickness of the section is \pm 10% from the specific thickness given in the manufactures made.				
	Concealed screws, nuts, bolts, rivets and other fastening devices shall be of Aluminium, non magnetic stainless steel or other approved corrosive resistant materials. If visible, they shall blend with the finish of the framing Aluminium Sections.				
	For each fabrications, a shop drawing shall be furnished to the Engineer, One month prior to the installation commencement and should get the approval for the same.				
	Samples of hinges, Aluminium sections, Al composite boards etc shall be forwarded by the contractor for prior approval of the Engineer.				
	The fabrication and installation of all aluminium work must be carried out by specialist tradesman.				
	It shall be bidder's responsibility to check the sizes of all openings on site, prior to fabrication.				
	Supply, assemble and fix in position aluminium framed glazed aluminium sash door, window, fanlight, partition units complete with sealant glazing screwed beadings, locks, fasteners, gasket, hardware and fittings all complete as per detail drawing.				
	Rate shall include for testing for Hardness, profile thickness, coating thickness of Aluminium extrusions				

ITEM	DESCRIPTION	UNIT	QTY	RATE (Rs)	AMOUNT (Rs)
	Details of Aluminium Sections and accessories to be used if not specified separately.			· · ·	, ,
E1	Fabricating and fixing Powder-coated aluminium hinged type sash Bathroom door with aluminium architectural sections with 60-80 micron coating glazed and panelled / fully panelled with 3mm cladding board at bottom and top. Including door lock with handle etc.		10		
E2	76 x 1.2mm thick powder coated aluminium partition frame, panelled two portions, top portion is panelled with aluminium composite panel of total thickness 4mm, with both sides Polyester coated aluminium sheets of 0.2mm thick, and bottom portion is panelled with aluminium composite panel of total thickness 4mm with 2 nos.of Polyester coated aluminium sheets of 0.2mm thick composite, completed with board joints taped with necessary pop rivots, gasket & etc. and work complete in order		3		
Е3	Fabricating and fixing Powder-coated aluminium glazed sliding window with aluminium architectural sections with 60 80 micron coating with 4.6mm thick glass including all necessary rubber beading, rawl plug & window lock, etc.		2		
E4	Powder Coated double sash butt hinged openable door with middlerail, panelling with aluminium composite panel of total thickness 4mm, with both sides Polyester coated aluminium sheets of 0.2mm thick and glazed with 5mm thick clear glass panes at top panel, neoprene and wooled beading, gaskets, pop rivots, threaded barwith nut and approved quality lock, butt hinges, door handle with capnut.		3		
E5	Supplying, fabricating and Fixing of Under Ledge powder coated aluminium Pantry Cupboard having breadth of 650mm using 1 1/2' x 1' powder coated aluminium box bar frame work panelling with 3mm thick double side white color Composite board and swing type sashes made out of powder coated aluminium 1' x 1' CNT bar frame work panelling with 3mm thick double side white color Composite board. Intermediate shelves and shelf dividers should be made of 3mm thick double side white color composite boards and all edges should be finished with 12mm x 12mm aluminium 'L' angles. Rate to include for necessary rubber beadings, door handles, locks, fixing arrangement and other accessories.		5		

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
E6	Supply, fabricate and fixing Powder Coated Aluminium Wall Cupboard having breadth of 650mm using 1 1/2' x 1' powder coated aluminium box bar frame work panelling with 3mm thick double side white color Composite board and swing type sashes made out of powder coated aluminium 1' x 1' CNT bar frame work panelling with 3mm thick double side white color Composite board. Intermediate shelves and shelf dividers should be made of 3mm thick double side white color composite boards and all edges should be finished with 12mm x 12mm aluminium 'L' angles. Rate to include for necessary rubber beadings, door handles, locks, fixing arrangement and other accessories.		5	(Rs)	(Rs)
E7	Supply, fabricate and fixing of aluminium wall rack having breadth of 300mm using 50mm x 25mm powder coated aluminium box bar frame work panelling with 4mm thick Composite board. Intermediate shelves and shelf dividers should be made of 4mm thick composite boards and all edges should be finished with 12mm x 12mm aluminium 'L' angles. Rate to include for fixing arrangement and other accessories.		8		
E8	Supplying & fixing door closer of "Union Brand" or approved equivalent.	nr	10		
E9	Supplying & fixing stainless steel floor hinge of "Union Brand" & model no 205E or approved equivalent. (Heavy)	nr	4		
	Sub Total carried to Summary		<u> </u>		
F	ELECTRICAL WORKS				
I	Note Rates in Bill of Quantities shall include all necessary materials (Cables, conduits, PVC sunk box, bulbs, switches etc.) and labour required to complete the electrical installation to good working order.				
II	Except where specifically stated, all costs associated with provision of all holes, openings, chases, ducts and other				
ш	Where reference is made to certain manufactures' products and items identified by registered trade marks, has been done for the sole purpose of defining and establishing standards of quality and performance and not with the intention of restricting the procurement of material or fitting to a particular manufacturer. However all equipment and material should meet the BS or an equivalent standard.				
IV	Testing and commissioning of the electrical installation is to be carried out by the contractor and inspection report submitted according to the requirements of the power supply Authority.				

ITEM	DESCRIPTION	UNIT	QTY	RATE (Rs)	AMOUNT (Rs)
VI	Electrical Items (MCB,RCCB etc.) should be of European/Japanese origin or to the BS or equivalent and items without an accredited agent in Sri Lanka shall not be accepted. Guarantee cards(Fans etc.) should be provided from accredited agent before installation. All the quantities given here are approximated values and Quantities may change with the actual installation at the site. All types of fittings, materials, painting and finishes shall be				
	approved by the Engineer prior to installation.				
VIII	All panel boards and consumer units should have wire				
F1	Electrical Distribution System Single Phase Consumer Unit (CU) Supply and installation of switch gear cubicle made out of (1.5mm thickness) sheet steel (IP54) stove enameled or powder coated for the finish with one coat of primer, surface type steel enclosure to the approval of the engineer with following equipment. 01 Nos. 40A, 2P Isolator 01 Nos. 40A 2P RCCB, 30mA sensitivity 10 Nos. 6-32A, 1P MCB,6kA 01 Set of 50A Cu Bus bars for L1,L2,L3 & N 01 No Earth Bar 01 Set of indicators with protection All internal connections. Equipment to be to the BS/IEC		1		
F2	Cable management system				
F2.1	PVC Casing Supplying and installation of 50×25mm PVC Casing as necessary.	m	70		
F2.2	Supplying and installation of 25×16mm PVC Casing as necessary.	m	50		
F3	<u>Cables</u> Supply and installation (with all materials required including conduits and termination) of following cables.				
	6mm ² Cu/PVC/PVC 2C cable + 6mm ² Green & Yellow Earth cable from existing DB to CU.	m	70		

ITEM	DESCRIPTION	UNIT	QTY	RATE (Rs)	AMOUNT (Rs)
F4 F4.1	Light Fittings Note:- Warranty of all LED bulbs must be minimum two years. Supply and installation of 1200 mm long single 20W LED Tube light fitting , minimum flux 2000 lumens with all accessories.		5		
F4.2	Supply and installation of Recessed type/ surface type White, Squre shape 12W LED panel light fitting, minimum flux 780 lumens with accessories.	Nos	5		
F4.3	Light Point Wiring Wiring (including supply of all materials) of the above light points using approved type PVC insulated PVC sheathed 1 mm² copper cable drawn through securely fixed concealed PVC conduit/casing.		10		
F4.4	Supply and installation of 1200mm long 20W LED tube bulb, minimum flux 2000 lumens with accessories.	Nos	5		
F5	Allow Provisional sum for Removing existing defect light fittings, socket out lets & properly handing over to the client. Cost for cleaning and repainting of existing light fittingsetc.	Р.	S		100,000.00
F6.1	Socket Outlets 13A Socket outlets Supply & installation of 13A shuttered switched single socket outlet to comply with BS.	Nos	70		
F6.2	Wiring of 13A Socket outlets (radial circuit) Wiring (including supply of all material required) of 13A socket outlets using approved type 2.5mm2 Cu/PVC/PVC, 2C cable & 2.5mm2 earth cable drawn through securely fixed concealed PVC conduit.		70		
F6.3	13A Plug Top Supply and installation of 13A Plug top with fuse and accessories.	Nos	10		
F7	Inspection and Testing - Electrical installation Testing the installation and rectify any defects and submit a certificate by a Chartered Electrical Engineer.(including 1 sets of as built drawing of the electrical distribution system)		m		
	Sub Total carried to Summary	•			

ITEM	DESCRIPTION	UNIT	QTY	RATE (Rs)	AMOUNT (Rs)
G	MISCELLANEOUS WORKS				
G1	Cut & polishing terrazzo floor & skirtings.	m^2	575		
G2	Floor concrete with 1:2 1/2:5(25mm) 75mm thick, 1:3 normal cement and sand rendering finished smooth with expansion joints filled with 1:2 bitumen and sand. Rate including for curing, compacting ground and laying polythene sheets under the concrete.		10		
G3	Supplying and fixing 300mm x 600mm locally manufactured Homogeneous Porcelain rustic wall tiles to walls including 12mm thick 1:3 cement sand bedding and finished with tile grout to match the tile with skirting.		30		
G4	Supplying and fixing locally manufactured 600mm x600mm locally manufactured Homogeneous Vitreous Porcelain semi glazed/matt floor tiles to floors including 20mm thick 1:3 cement sand bedding and finished with tile grout to match the tile.		15		
G5	Waterproofing in bathrooms, water tanks etc. with a waterproofing agent approved by the Engineer, (Barralastic or equivalent) apply two coats after a well cleared surface. (shall have minimum 10 year warranty period)		50		
G6	Repairing & refixing door or window frames using treated kempas, 95mm x 45mm (Nominal).	m	100		
G7	Repairing & refixing door sash using class 1 or above timber up to 28mm thick planks. (Up to 2.0m2)	nr	20		
G8	Replacing Asbestos roofing sheets with new sheets on an existing framework. With new nuts and bolts, apply two coats of emulsion paint on the underside of the sheet etc.		200		
G9	Allow for repairing ceiling, S/S cupboard, fixing new S/S wall rack, repairing steel beds, replacing damaged glass, repairing roof plumbings, repairing steel gate, repairing/refixing damaged wall guards & other unforeseen works.				500,000.00
	Sub Total carried to Summary				

SECTION - 8

DRAWINGS

SECTION - 9

STANDARD FORMS (BID)

• Bidders shall submit the completed Form of Bid Security/Bid Securing Declaration as appropriate in compliance with the requirements of the bidding documents.

FORM OF BID SECURITY

[Insert issuing agency's name and address of issuing branch or office]
Beneficiary: Director, Teaching Hospital, Peradeniya.
Date: [Insert (by issuing agency) date]
We have been informed that
Furthermore, we understand that, according to your conditions, Bids must be supported by a Bid Guarantee.
At the request of the Bidder, we
[insert amount in words] upon receipt by us of your first demand in writing accompanied by a written statement stating that the bidder is in breach of its obligation(s) under the bid conditions, because the Bidder:

- (a) has withdrawn its Bid during the period of bid validity specified; or
- (b) does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB"); or
- (c) having been notified of the acceptance of its Bid by the Employer during the period of bid validity, (i) fails to refuses to execute the Contract Form, if required, or (ii) fails to refuses to furnish a Performance Security, in accordance with the ITB.

This Guarantee shall expire:

- (a) if the Bidder is the successful bidder, upon our receipt of copies of the Contract signed by the bidder and the Performance Security issued to you by the Bidder; or
- (b) If the Bidder is not the successful bidder, upon the earlier of the successful bidder furnishing the performance security, otherwise it will remain in force up to 28 days beyond the validity of the bid. (.....)

before that date.
(Singular of much arised names and the sold)
[Signature of authorized representative(s)]
Common Seal (Signature, Name, and Address)

Non-collusion Affidavit

The undersigned bidder or agent, hereby solemnly, sincerely, and truly declares and

affirms/makes an oath and states as follows;

a) That he/she has not, nor has any other member, representative, or agent of the firm,

company, corporation, or partnership representing him/her, entered into any combination,

collusion, or similar agreement with any person in connection with the price to be bid;

b) That he/she or anyone representing him/her has not taken any step whatsoever to prevent

any person from bidding, nor to induce anyone to refrain from bidding; and

c) That this bid is made without reference to any other bid and without any agreement,

understanding, or combination with any other person in reference to this bid.

He/she further states that no person, firm, or corporation has received or will receive, directly

or indirectly, any rebate, fee, gift, commission, or thing of value in connection with the

submission of this bid.

The bidder accepts full responsibility for ensuring the absence of collusion and hereby pledges to abide by fair and ethical competition practices throughout the procurement

process and fully comply with the applicable Procurement Guidelines.

I hereby affirm, under the penalties for perjury, that all statements made by me in this

affidavit are true and correct.

The foregoing Affidavit having been

duly read over and explained by me to

the Affirmant above named and he/she

having understood the contents therein

and admitted to be correct, affirmed and

set his/her signature hereto before me)

on this day of ... at ...

BEFORE ME,

JUSTICE OF THE PEACE/COMMISSIONER OF OATHS

36

Check List for Bidders

Bidders are advised to fill the following table:

ITEM	ITB Clause	Yes (tick)	REFERENCE
Form of Bid			
Addressed to the Employer?	18		
Completed?	18		
Signed?	18		
Bid securing Declaration form (if required)			
Properly filled and singed	16		
Bid Security (if required)			
Addressed to the Employer?	16		
Format as required?	16		
Issuing Agency as specified?	16		
Amount and currency as requested?	16		
Validity 28 days beyond the validity of Bid?	16		
Qualification Information			
All relevant information completed?	4		
Signed?	4		
Addendum	-		
Contents of the addendum (if any) taken in to account?	10		
BID package			
All the documents given in ITB Clause 12 enclosed in the original and copy?	12		
ITB Clause 19 followed before Sealing the Bid Package?	19		