DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA MINISTRY OF HEALTH & MASS MEDIA

TEACHING HOSPITAL - PERADENIYA COLOUR WASHING & REPAIRING WORKS AT JMO BUILDING PREMISES

CONTRACT NO: THP/AD/33/2025

BIDDING DOCUMENT

Volume I

Invitation for Bids

Section 01 - Instructions to Bidders

Section 02 - Standard Forms (Contract)

Section 03 - Conditions of Contract

Section 04 - Form of Bid and Qualification Information

Section 05 - Schedules

Section 06 - Specifications

Section 07 - Bill of Quantities

Section 08 - Drawings

Section 09 - Standard Forms (Bid)

Contractor		
Contractor	 	

CONSULTANT

CENTRAL ENGINEERING CONSULTANCY BUREAU 415, BAUDDDHALOKA MAWATHA, COLOMBO 07.

CLIENT

MINISTRY OF HEALTH & MASS MEDIA
"SUWASIRIPAYA",
385, REV BADDEGAMA WIMLAWANSA THERO
MAWATHA,
COLOMBO 10.

CONTENTS

Invitatio	n fo	or B	sids	Page 2
Section	1	-	Instructions to Bidders	5
Section	2	_	Standard Forms(Contract)	7
	Sta	anda	ard Form: Letter of Acceptance	9
	Sta	anda	ard Form: Agreement	10
	Sta	anda	ard Form: Performance security	12
	Sta	anda	ard Form: Advance payment security	13
	Sta	anda	ard Form: Retention Money Guarantee	15
Section	3	-	Conditions of Contract	16
Section	4	-	Form of Bid and Qualification Information	18
			Form of Bid	19
			Qualification Information	20
Section	5	-	Schedule	21
Section	6	-	Specifications	27
Section	7	-	Bill of Quantities Technical and Other Schedules	29
			Preambles to Bill of Quantities	30
			Bill of Quantities	
			Technical and Other Schedules	
Section	8	-	Drawings	32
Section	9	-	Standard Forms (Bid)	33
Check L	ist	for 1	Bidders	37

INVITATION FOR BIDS

1. INVITATION FOR BIDS (IFB)

MINISTRY OF HEALTH

TEACHING HOSPITAL PERADENIYA

COLOUR WASHING & REPAIRING WORKS AT JMO BUILDING PREMISES (Contract No: THP/AD/33/2025.)

1. The Chairman, Regional Procurement committee, Teaching Hospital Peradeniya on behalf of the Teaching Hospital, Peradeniya now invites sealed bids for Colour Washing & Repairing Works at JMO Building Premises as described below and estimated to cost Rupees 5.51M. (excluding VAT & Contingencies).

The Site is Located at the premises of Teaching Hospital, Peradeniya. Work to be carried out are mainly comprise of Demolisher, Masonry Work, Wall Finishes, Floor Finishes, Roof Work, Ceiling Work, Painter, Plumber, Wood Work, Aluminum Works, Electrical Work Miscellaneous Works...etc. (For more detail refer BOQ).

The contract period will be 90 Days.

- 2. Bidding will be conducted through National Competitive Bidding Procedure.
- 3. To be eligible for contract award, the successful bidder shall not have been blacklisted and shall meet the following requirements.

CIDA (ICTAD) Registration Required:

Speciality: **Building**Grade : **C8 or above**

- 4. Qualification requirements to qualify for contract award include:
 - (a) Technical staff at site to be

1.One Technical Assistant (Civil, full time on site) – NCT or equivalent with 3 year experience.

- (b) Contractor has successfully completed at least two projects similar to this by value and complexity during last five years
- (c) As the estimate cost for the procurement exceeds the Rs.5 million the bidder shall register at the registrar of Public Contract Sri Lanka at the time of submission of bids (PCA 3) and forward the certificate
- 5. You may obtain further information from Director, Teaching Hospital, Peradeniya, Tel. No. 081 3990312 and inspect the bidding documents at the address given below from 09.00 hrs to 14.00 hrs.
- 6. A complete set of Bidding Documents in English language may be purchased by you on the submission of a written application to the address given below, from 2025.08.22 until

- 2025.09.11 from 09.00 hrs to 14.00 hrs or download the bidding document browsing <u>www.peradeniya-hospital.health.gov.lk</u> upon payment of a non-refundable fee of Rs. 2,500.00
- 7. Bids shall be delivered to the address below on or before 10.30 hrs on 2025.09.12. Late bids will be rejected. Bids will be opened soon after closing in the presence of the bidders' representatives who choose to attend.
- 8. All bids shall be accompanied by a Bid Security of Rupees eighty three thousand (Rs 83,000.00) only. The Bid Security shall be valid up to 105 Days from the closing date of the bid (including closing date of bid).
- 9. Bids shall be valid up to 77 Days.
- 10. The addressed referred to above is, Chairman, Regional Procurement committee, Teaching Hospital Peradeniya, Tel 081 - 3990312

SECTION - 1

INSTRUCTIONS TO BIDDERS

Notes:

Instructions to Bidders shall be read in conjunction with Section5 – Schedule given in Volume 2.

Instructions to Bidders will not be a part of the Contract and will ceases to have effect once the Contract is signed.

INSTRUCTIONS TO BIDDERS

Instruction to Bidders applicable to this contract is those given in Section 1 of the Standard Bidding Document for procurement of works Minor Contracts. ICTAD publication No.ICTAD/SBD/03, Second Edition ,January 2007, published by the Construction Industry Development Authority (CIDA).

This publication will not be issued with the bidding Document and the bidder is advised to purchase it from CIDA.

Instructions to Bidders shall be read in conjunction with the schedule provided under Section 5 of the Bidding Document.

Instruction to Bidders will not be a part of the contract.

SECTION – 2

STANDARD FORMS (CONTRACT)

Letter of Acceptance, Form of Agreement,
Forms of Performance Security, Form of Advance Payment Security
And

Form of Retention Money Guarantee

Notes on Standard Forms:

- Bidders shall submit the completed Form of Bid Security in compliance with the requirements of the bidding documents.
- Bidders should not complete the Form of Agreement at the time of preparing of bids.
- The successful Bidder will be required to sign the Form of Agreement, after the award of contract.
- Any corrections or modifications to the accepted bid resulting from arithmetic corrections, acceptable deviations, or quantity variations in accordance with the requirements of the bidding documents should be incorporated into the Agreement.
- The Form of Performance Security, Form of Advance Payment Security and Form of Retention Money Guarantee should not be completed by the Bidders at the time of preparation of bids.
- The successful Bidder will be required to provide these securities in compliance with the requirements herein or as acceptable to the Employer.

Notes on From of Letter of Acceptance

The Letter of Acceptance will be the basis for formation of the Contract as described in Clause 30 of the Instructions to Bidders. This From of Letter of Acceptance should be filled in and sent to the successful bidder only after evaluation of Bids and after obtaining approval from the relevant authority.

FORM OF LETTER OF ACCEPTANCE

(Letter head paper of the Employer)

				•••••	• • • • • • • • • • • • • • • • • • • •	(Date)
То:						
			of the Contractor)			
			s of the Contractor)			
This is to notify you therein and maintain	•					
No	for	the	Contract		of	Rupees
Bidders and / or mode The adjudicator shall Development Authori	ified by a Mem	norandum of U	nderstanding (if any	y), is hereby acc	epted.	
You are hereby instr	• , , ,	eed with the e	xecution of the said	d works in acco	ordance with	the Contract
The Start Date shall b	pe:	(Fill	as per Clause 6.1 o	of Conditions of	Contract).	
The amount of Perfor of Contract).	mance Securii	ty is:		(Fill as pe	er Clause 4.4 o	of Conditions
The deadline for sub Conditions of Contrac		rformance Sec	urity is		(Fill as per (Clause 4.4 of
Authorized Signature	:		••••			
Name and title of Sig	natory:					
Name of Agency:						

FORM OF AGREEMENT

This	Agreement made the (Day) of (Month) 2025, between Director, Teaching		
Hos	pital, Peradeniya. (Hereinafter called and referred to as "the I	Employer"), of the one part, and		
		(Name and address of Contractor)		
(He	reinafter called and referred to as "the Contractor"), of the other p	part:		
Bui	ereas the Employer desires that the Contractor execute Colour Viding Premises (hereinafter called and referred to as "the Worldhe Contractor for the execution and completion of such Works and	ks") and the Employer has accepted the Bid		
The	Employer and the Contractor agree as follows:			
1.	In this Agreement words and expressions shall have the same them in the Contract hereinafter referred to.	e meanings as are respectively assigned to		
2.	In consideration of the payments to be made by the Employer to the Contractor as indicated in this Agreement, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.			
3.	The Employer hereby covenants to pay the Contractor in con- Works and remedy any defects therein, the Contract Price or su the provisions of the Contract at the times and in the manner pre-	ch other sum as may become payable under		
	Vitness where of the parties hereto have caused this Agreement ten in accordance with laws of Sri Lanka.	to be executed the day and year first before		
	Authorized signature of Contractor	Authorized signature of Employer		
	COMMON SEAL	COMMON SEAL		

	he presence of: messes:
1.	Name and NIC No.
	Signature
	Address
2.	Name and NIC No.
	Signature
	Address

FORM OF PERFORMANCE SECURITY

(Unconditional)

[Name and Ad	dress of Issuing Branch or office]
Beneficiary:	Director, Teaching Hospital Peradeniya.
Date:	
PERFORMAN	ICE GUARANTEE No:
(Hereinafter at JMO Buil	informed that
Furthermore, vis required.	we understand that, according to the conditions of the Contract, a performance guarantee
the Agency] he amount of figures](first demand in its obligation(s demand or the	of the Contractor, we
[Signature (s)]	

FORM OF GUARANTEE FOR MOBILIZATION ADVANCE PAYMENT

BOND DATE SUM GUARANTEED:	NUMBER:
Beneficiary: Director, Teaching Hospital, Peradeniya.	
Name of the Contract: Colour Washing & Repair In accordance with the provisions of the Contract	Conditions of Contract, of the above mentioned
(Name and address of Contractor) [hereafter cal Teaching Hospital, Peradeniya a bank guarante under the said Contract	led "the contractor"] shall deposit with the Director, se to guarantee his proper and faithful performance
guarantee)	,
contractor, agree unconditionally and irrevocably merely, the payment to the Director, Teaching whatsoever right of objection on our part and winot exceeding	(amounts in wards) such amount to be
the Works to be performed thereunder or of a	other modification of the terms of the Contract or of ny of the Contract Document which may be made by release us from any inability under this guarantee, addition or modification.
	arantee until we have received notice in writing from ed above has been paid to the Contractors pursuant to
-	fect from the date of the advance payment under the Peradeniya received full payment of the same amount

Signature and the Seal of the Guarantor:

Name of the Bank:
Address:
Date:
Witness:

FORM OF RETENTION MONEY GUARANTEE

NUMBER:	DATE:
SUM GUARANTEED:	
To: Director, Teaching Hospital, Peradeniya.	
(Hereinafter called and referred to as "the Employer")	
Name of the Contract Colour Washing & Repairing Wo has been stipulated by the Employer in clause 10.5 of the to the contractor the full sum mentioned under the concontractor furnishing an unconditional guarantee acceptal retention money, valid up to 28 days beyond the end of the	Conditions of Contract that he would release ntract in pursuance of clause 10.5, on the ble to the Employer to the full value of the
We	bly, guarantee to pay the Employer upon the bjection, any sum or sums within the said prove or to show grounds or reasons for the sin and the said amount of Rupees (Amount in words) in the
This guarantee shall be valid up-to (Date)	
Signature and Seal of the Guarantor	
Name of Bank	
Address	
Date	
Witness	

SECTION - 3

CONDITIONS OF CONTRACT

Conditions of Contract shall be read in conjunction with Schedule

Note - Conditions of Contract shall be read in conjunction with Schedule

CONDITIONS OF CONTRACT

Conditions of Contract that will be applicable for this Contract shall be that given in Section 3 of the Standard Bidding Document for Procurement of Works - Minor Contracts, ICTAD Publication No. ICTAD/SBD/03, Second Edition, January 2007, published by the Construction Industry Development Authority (CIDA).

The above publication will not be issued with the Bidding Document and Bidder is advised to purchase it from CIDA.

This Conditions of Contract shall be read in conjunction with "Schedule for Conditions of Contract" attached herewith.

SECTION – 4

FORM OF BID AND QUALIFICATION INFORMATION

FORM OF BID

Name To:	of Contract: Colour Washing & Repairing Works at JMO Building Premises Director, Teaching Hospital, Peradeniya.
Gentle	emen,
	Having examined the Conditions of Contract given in the Standard Bidding Document – Procurement of Works – Minor Contracts (ICTAD/SBD/03- Second Edition, January 2007 & Addendum 01 issued in January 2009), Schedule, Specifications, Bill of Quantities, Drawings and Addenda for the execution of the above named Works, we the undersigned, offer to execute and complete such Works and remedy any defect therein in conformity with the aforesaid Conditions of Contract, Schedule, Specifications, Bill of Quantities, Drawings and Addenda for the sum of Sri Lankan Rupees (without VAT)
2.	We acknowledge that the "Schedule" forms part of our Bid.
	We undertake, if our Bid is accepted, to commence the Works as stipulated in the Schedule, and to complete the whole of the Works comprised in the Contract within the time stated in the Schedule.
	We agree to abide by this Bid for a period of 77 days from the date fixed for receiving, or any extended period, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
	Unless and until a formal Agreement is prepared and executed, this Bid together with your written acceptance thereof, shall constitute a binding contract between us.
6.	We understand that you are not bound to accept the lowest or any Bid you may receive.
	I this
Signa	ture:
Addre	ess:
Witne	ess:

QUALIFICATION INFORMATION

(To be completed by the Bidder and submitted with the bid)

	Eligibility Requirement		Bidder's Qualification	
ICTAD(CIDA) Registration	(attach copies of relevant page	s from the re	gistration book)	
Registration Number				
Grade	C8 or above			
Specialty	Building			
Expiry Date				
Blacklisted Contractors				
Have you been declared as a default	ed contractor by NPA or any Aş	gency?	Yes / No	
If yes provide details				
VAT Registration Number *				
Construction program	(attach as annex)			
Legal Status	(Public company / Private company / Partnership / Sole proprietor) - attach relevant copies as annex			
	Eligibility Requirement Bidder's Qualification			
Qualification an experience of	Category, Experiences and Qualifications	Required Nos.	Proposed by bidder (Name. Experience and Qualifications)	
key staff (attach relevant certificates)	Technical Assistant (civil – full time in site) – NCT or equivalent with 03 year experience.	01		
Value of similar works completed in last 5 years (Indicate only three largest projects)	2. Value Rs Year			
As the estimate cost for the proc			C	

As the estimate cost for the procurement exceeds the Rs.5 million the bidder shall register at the registrar of Public Contract Sri Lanka at the time of submission of bids (PCA 3) and forward the certificate.

C	ัดทว	turo	of 1	⊦h൧	Ridder		
J	ıgııa	tuit	OI (uic	Diduct.	 	

SECTION - 5

SCHEDULE

Note:

This section shall be read in conjunction with section I – Instruction to Bidders and Section 3 – Conditions of Contract, and is intended to provide specific information in relation to corresponding Clauses in Section I & 3. Whenever there is an ambiguity, the provisions in Section 5 – Schedule shall supersede these provided in the Section I – Instructions to Bidders and Section 3 - Conditions of Contract.

SCHEDULE

ITB Clause	Conditio of Contra Clause		Data			
1.	1.1.8	Employer is:	Secretary, Ministry of Health & Mass Media, 385, Rev. Baddegama Wimalawansa Thero Mawatha,. Colombo 10.			
		Employer's R	Representative: Director, Teaching Hospital, Peradeniya.			
	1.1.10	Engineer is:	General Manager Central Engineering Consultancy Bureau, No.415, Bauddhaloka Mawatha, Colombo 07.			
		Engineer's Re	presentative: Project Manager (HCW), Central Engineering Consultancy Bureau, Rajawella, Digana.			
1. & 13.		Summary o	Work: Work to be carried out are mainly comprise of Demolisher, Masonry Work, Wall Finishes, Floor Finishes, Roof Work, Ceiling Work, Painter, Plumber, Wood Work, Aluminum Works, Electrical Work Miscellaneous Worksetc (For more detail refer BOQ)			
	1.1.21	1.21 Located at: TeachingHospital, Peradeniya				
	Contract Name: Colour Washing & Repairing Work Building Premises					
			l Validity Period is 77 days from closing e of the Bid.			
1.	1.1.14	Intended Completion Date	Intended Completion Date is: 90 Days from starting date			

2.3.		Source Of Funds Eligibility	The Source of Funds is GOSL The requirement is; registered with the Construction Industry Development
			Authority (CIDA/ICTAD), under the Grade :- C8 or above
8.			Specialty:- Building works
0.	Volume II –	the docum Volume I — each of follow Invitation for Section 01 — Section 02 — Section 04 — Information Section 05 — Section 06 — Section 07 — Section 08 — Section 09 — Two separate Copy of follow Invitation for Section 04 — Information	Instructions to Bidders Standard Forms (Contract) Conditions of Contract Form of Bid and Qualification Schedules Specifications Bill of Quantities Drawings Standard Forms (Bid) bound documents, each consist of one owing sections,
12	(A) Enclo	seed in the enve	lone marked as "ORIGINAL":
12	, ,		lope marked as "ORIGINAL";
	` '	bound Volume Security	÷ I
	Bidder shall	complete the sc And	hedules attached in the section 07
	(B) Enclo		lope marked as "COPY"
	(a) One of	copy of fully bo	ound Volume II
13.		may retain the ection 5 and Sec Price	Balance copy of Volume II, which consist of etion 7. The Contract is not subjected to

Adjustment price adjustment

16.

Bid Security The amount of Bid Security shall be Sri Lanka Rupees eighty three thousand (Rs 83,000.00) only.

Bid Security

Validity Period The Bid Security shall be valid up

to 105 Days from the closing date

of the Bid.

Securities and Guarantees issued by the following institutions are acceptable:

- 1. A Bank operating in Sri Lanka, approved by the Central Bank of Sri Lanka.
- 2. Construction Guarantee fund.

Alternatively, the Tenderer can pay cash to Shroff of the Teaching Hospital, Peradeniya.

No interests will be paid on cash deposits

31. Performance Amount of performance security required is 5% of Initial Contract Price.

Securities and Guarantees issued by the following institutions are acceptable:

- 1. A Bank operating in Sri Lanka, approved by the Central Bank of Sri Lanka.
- 2. Construction Guarantee Fund

Also, the Tenderer can paid cash to Shroff of the

Teaching Hospital, Peradeniya.

No interests will be paid on cash deposits.

6.4 Late the amount to be paid is 0.05% of initial Completion contract price per Day, subjected to

Maximum of 10% of Initial

Contract Price.

Notification The period for Defects Notification of Defects is 365 Days from Taking Over.

Retention The retention from each payment

Shall be 10% of the work done, as per

The Interim Certificate.

13.1(c)	Insurance, Third Party	The Limit of maximum amount of retention is 5% of Initial Contract Price. Minimum amount for third party insurance is Rs. 50,000.00 per Occurrence with the number of Occurrences unlimited		
13 (d)		Insurance for Employer and Contractor's Personnel	Minimum amount for Insurance for Employer and Contractor's Personnel is Rupees Fifty thousand (Rs.50, 000.00)	
33.	1.1.11	Adjudicator	Fees and types of reimbursable expenses to be paid to the Adjudicator Shall be on a case to case basis	
	14.0	Resolution of Disputes	and shall be shared by the Contractor and the Employer	

15 ADDITIONAL CLAUSES

15.1 Value Added

Taxes (VAT)

VAT component shall not be included in the rates. The amount written in the Form of Tender shall be without VAT.

If Bidder is registered for VAT, the Bidder shall indicate the amount of VAT claimed separately at the end of the Bill of Quantities, in addition to the net value of the Bid, along with VAT registration number. The amount written on the Form of Bid shall be without VAT. Any Bidder who does not declare his VAT registration number will be liable for rejection of his Bid.

If any Bidder is not registered for VAT, he shall indicate the net value of the Bid. Under this category Bidder shall obtain a letter from the Commissioner of Inland Revenue Department, certifying the Company has not been registered for VAT, shall be attached to the Bid. Any Bidder who does not comply with this requirement will be liable for rejection of his Bid

The same VAT percentage will be applicable to any Extra works and variation.

• No advance payment will be made.

SECTION - 6

SPECIFICATIONS

SPECIFICATIONS

The Works under this Contract shall be executed in accordance with the Specifications given in the following documents issued by the Institute for Construction Training and Development (ICTAD), "Savsiripaya",123, Wijerama Mawatha, Colombo 07.

<u>Publication No.:</u> <u>Description:</u>

SCA/4(Vol. I) Specifications for Building Works,

Vol. (I), Sri Lanka.

3rd Edition (Revised), July 2004.

SCA/4(Vol. II) Specifications for Building Works

Vol. (II), Sri Lanka.

2nd Edition (Revised) October 2001.

SCA/3/2 Specifications for Water Supply

Sewerage and Storm Water Drainage Works, Sri Lanka.

Second Edition (Revised), April 2002.

SCA/8 Specifications for Electrical and Mechanical works associated

With Building and Civil Engineering, Sri Lanka.

Second Edition (Revised), August 2000.

It is implied that the eligible Tenderers are fully acquainted with the above documents and therefore, those will not be issued to the Tenderers in this Tender.

However, the Tenderers may purchase the same if necessary from CIDA. "Savsiripaya", 123, Wijerama Mawatha, Colombo 07.

SECTION - 7

BILL OF QUANTITIES

PREAMBLE TO THE BILL OF QUANTITIES

- 1. The Conditions of Contract, the Specifications are to be read in conjunction with the Bill of Quantities.
- 2. The cost of complying with all conditions, obligations and liabilities described in the Conditions of Contract and the Specifications and the Bill of Quantities **including all overhead charges (excluding VAT), profit and Preliminaries** and carrying out the work as described shall be deemed to be spread over and included in the prices or sums stated by the Bidder in the Bill of Quantities. VAT should be separately added.
- 3. If the Bidder failed to price any Items in the Bill of Quantities then the cost of the work under such Item shall be held to be spread over and included in the prices given against other Items of work.
- 4. When trade names, brand and/or catalogue numbers are referred to, sole preference to any material or equipment is not intended. Any other material or equipment may be used, provided that the characteristics of type, quality, appearance, finish, method of construction and/or performance is equal to or superior to specify.
- 5. Whenever the method of measurement is not clear from documents available, the principles as given in the Sri Lanka Standard 573, 1999, Method of Measurement of Building Work shall be applicable.
- 6. All items of work shall comply exactly with the Contract unless otherwise approved by the Engineer and the rates and sums inserted in the Bill of Quantities shall be deemed to apply to the work as specified. If, for his convenience or reasons of availability, the Contractor proposes and the Engineer approves the use or provision of alternative items, materials or method of working, or equivalent or superior quality to those specified in the Contract, the rates and sums inserted in the Bill of Quantities shall not in any case be increased as a result.
- 7. The quantities set out in the Bill of Quantities are provisional and cover the approximate scope of the work which is anticipated to be performed by the Contractor. The actual quantities used for final measurement purposes will be determined by the Engineer by measurement of the work completed by the Contractor.
- 8. Where, for his own purposes or due to his own default, the Contractor carries out the Works in such a manner that the quantity of any Item of work in particular component to be measured for payment purposes differs from that directed by the Engineer, then payment shall be made according to the lesser of the actual quantity and that directed. An excess quantity in one part of the component shall not, however, be allowed to offset a deficit elsewhere in the same component for measurement purposes.
- 9. Where the determination for payment purposes of the quantity of any Item of work depends upon the measurement of existing features or ground levels and the like, then prior to carrying out any operations which might affect such measurement, the Contractor shall first take such levels and measurements as the Engineer may direct and, after the Engineer has had the opportunity to check the same, they shall be certified as agreed by both the Engineer and the Contractor.

- 10. In the event that the Contractor fails to observe the above procedure, the Engineer shall determine the quantity to be assumed for payment purposes using the best information available to him, and his decision in the matter shall be final.
- 11. Selected Bidder shall comply with the arrangement of work in the buildings and be ready to work part by part as required by the Authorities of Teaching Hospital, Peradeniya
- 12. Rates in the Bill of Quantities shall include all necessary materials such as cables, PVC conduits, PVC sunk boxes etc and labour required to complete the electrical installation to good working order.
- 13. Except where specifically stated, all costs associated with provision of all holes, openings, chases and ducts in other builders' work required for installation and make them good, shall be included in the rates.
- 14. Bidder should pay special attention to the work to be carried out, causing minimum disturbance or hindrance to the normal functions and activities of the users of the Teaching Hospital, Peradeniya
- 15. The Bills of Quantities should therefore, be priced to reflect all factors that would affect the bid and the progress of the works.
- 16. All electrical accessories should comply with relevant BS/IEC standards. For electrical accessories, manufacturer's guarantee should be produced if necessary.
- 17. The wiring installation shall comply with the requirements of IEE Wiring Regulations, latest edition.
- 18. Screens should be provided to prevent dust escaping from working areas.
- 19. Metric units are used throughout the Bill of Quantities for measurement purposes unless otherwise indicated. Abbreviations used in the Contract are as follows:-

mm - Millimeter

m - Linear meter

kg - Kilogram

m² - Square meter

m³ - Cubic meter

nr - Number

Rs. - Sri Lankan Rupees

Cts. - Cents

P. S. - Provisional sum

L. S. - Lump Sum

COLOUR WASHING & REPAIRING WORKS AT JMO BUILDING PREMISES GENERAL HOSPITAL (TEACHING) - PERADENIYA

MAIN SUMMARY

ITEM	DESCRIPTION	AMOUNT Rs. Cts.
A	PRELIMINARIES	
В	DEMOLISHER	
C	MASONRY WORKS	
D	WALL FINISHES	
E	FLOOR FINISHES	
F	ROOF WORK	
G	CEILING WORK	
Н	PAINTER	
I	PLUMBER	
J	WOOD WORKS	
K	ALUMINIUM WORK	
L	ELECTRICAL WORKS	
M	MISCELLANEOUS WORKS	
(a)	Sub Total I	
(b)	Ddt: Provisional Sum	694,500.00
(c)	Sub Total II	
(d)	Ddt:% Discount	
(e)	Sub Total III	
(f)	Add: Provisional Sum	694,500.00
(g)	Total amount for Bid	
(h)	Add : 18% VAT	
(j)	Total Amount with VAT	

Total Sum carried to Form of bid in words Rupe	ees (without VAT)
•	
Signature of the Contractor	Witness:-
Address	Address:-

Date :- BOQ 1 Date :-

COLOUR WASHING & REPAIRING WORKS AT JMO BUILDING PREMISES GENERAL HOSPITAL (TEACHING) - PERADENIYA

PRELIMINARIES

Note:

- 1 The Engineer/ Consultant may modify or amended any item, or delete inappropriate item/s or add new item/s, depending on the nature of the proposed work.
- 2 Mode of payment are as below.

Mode of Payment	Category
Reimburesement of actual cost on submission of the relevant document acceptable to the Engineer plus 5% of the actual cost of obtaining the insurance policies and securities.	A
60% on completion of temporary buildings or structures. 30% in equal installments over the contract period and balance 10% on dismantling and removal on completion.	С
Paid on satisfactory completion of the item	D
In equal installments over the contract period.	E
Mode of payment to be mutually agreed between contractor and the employer at the commencement of contract in relation to the program of work.	F
On the completion of work	G

- 3 The above recommended percentage may be adjusted by the Employer/Consultant to suit the particular project.
- 4 The tenderer is advised to visit the site of the proposed work, as it is his responsibility to ascertain the conditions, space govering access to the site, external working space, storage area, status of the adjoining properties etc.
- 5 Any preliminary item not listed below but deemed to be included in the tender rates, as no extras would be made.

Item	Description	Mode of payment Category	Unit	Amount Rs. Cts.
A	PRELIMINARIES Insurance & Securities			
A1	Provisional Sum for providing a Performance Security	A	P.S	10,500.00
A2	Provisional Sum for providing an Advance Payment Security	A	P.S	16,500.00
A3	Provisional Sum for insurance of Works, Machinery & Equipment, Plant, Materials, third party persons & property at site as per the Contract. (All Risk Policy)		P.S	11,500.00
A4	Provisional Sum for insurance against accidents and injury to Contractor's personel as per the Contract. (Workmen Compensation)		P.S	6,000.00

Itam	Description	Mode of payment	Unit		ount
Item	Description	Category	Onit	Rs.	Cts.
	Contractor's Facilities				
A5	Allow lump sum for constructing, maintaining, dismantling and removal on completion of the Works, a <u>temporary site office</u> , stores of adequate size including staff rest room and toilets and other facilities for the Contractor's site management staff in accordance with the plans prepared by the Contractor and concurred by the Engineer.		Item		
	Quality, Standars and Progress				
A6	Allow lump sum for provision of 3 sets of (Hard copies and soft copies) as built drawings of all services, for Engineer's approval.	D	Item		
	Health, Safety & Environment				
A7	Allow lump sum for providing all necessary safety measures to workmen at site conforming to the latest industrial safety regulations and as directed by the Engineer.	E	Item		
A8	Allow lump sum for maintaining the site in a clean and orderly manner at all times and during the entire contract period, demobilization, removal of all rubbish, debris and clearing up site on completion, leaving all in good order and handing over.		Item		
	Services & Facilities				
A9	Allow lump sum for supply of water for the works and paying all charges and other expenses in connection with the supply from water mains or any other alternative method of water supply, storage and reticulation.		Item		
	Sub Total carried to Grand Summar	y			

COLOUR WASHING & REPAIRING WORKS AT JMO BUILDING PREMISES GENERAL HOSPITAL (TEACHING) - PERADENIYA

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	Note:- (a) Rates are included for cleaning away debris within the Hospital Premises unless stated otherwise. Reusable/serviceable material shall be handed over to the client in formal way and any place of fixing and removing scaffolding. (b) All preliminary cost work should be included within BOQ items.			(Rs)	(Rs)
A	<u>DEMOLISHER</u>				
A1	Removing & clearing debris away Corrugated sheets, iron, asbestos or aluminium alloy from roof including framework inclusive of wiring and fixtures, gutters, valance boards etc in single storied buildings.	m^2	50		
A2	Removing asbestos ceiling including timber framework, stacking serviceable materials and debris cleared away. in single storied building	m ²	50		
A3	Demolishing Hacking up & clearing debris away of ledge concrete inclusive of rendering.	m^2	8		
A4	Demolishing & clearing tiled, glazed floor or wall.	m^2	180		
A5	Removing & stacking door or window (sash with frame) size up to 4.0m ² from existing walls.	nr	10		
A6	Removing and staking Low-level suits, squatting closets.	nr	3		
A7	Removing & stacking Wash basins, cisterns, sinks, urinals.	nr	3		
	Sub Total carried to Summ	ary			
В	MASONRY WORKS				
B1	Masonry block work 100mm thick (Nominal) in walls in cement and sand 1:5 mortar using solid blocks made of cement and sand to the proportion of 1:10, confirming compressive strength not less than 2N/mm2 at ground floor level	m²	40		
	Sub Total carried to Summary				
C	WALL FINISHES Rate shall include to (a) Fair joints (b) Outlets, working over and around obstructions, (c) Bonding agents where included with the work.	Note			

ITEM	DESCRIPTION	UNIT	QTY	RATE (Rs)	AMOUNT (Rs)
	(d) Patterned work is deemed to included all extra			(IXS)	(143)
	(e) Bedding mortars				
	(f) Grouting				
	(g) Working over and polishing				
	(h) Plastic corner beadings				
	(j) Supplying and Fixing Samples shall be forwarded by the contractor for prior	Note			
	Samples shall be forwarded by the contractor for prior Rate to include for scaffolding.	Note			
C1	Supplying and laying of 300mm x 600mm size, locally manufactured glazed tiles with all specials to walls for		90		
	bathroom including raking plaster and bedding in 12mm				
	thick 1:3 cement mortar joints shall be filled with tile				
	grout				
	Sub Total carried to Summ	ary		Г	
D	FLOOR FINISHES				
D1	Cut & polishing terrazzo floor & skirtings.	m^2	180		
D2	Supplying and laying 300 X 600 mm locally		90		
	manufactured Homogeneous Porcelain rustic floor tiles to floors including 12mm thick 1:3 cement sand				
	bedding and finished with tile grout to match the tile				
	with skirting.				
	Sub Total carried to Summ	ary			
E	ROOF WORK				
	Note: Rate to be include scaffolding works, saftety				
	nets,helmets and all necessary works as complete working order.				
E1	Cleaning and fixing timber (available), on roof, size	m	30		
	100mm x 75mm.				
E2	Cleaning and fixing timber (available), on roof, size 100mm x 50mm.	m	50		
E3	Cleaning and fixing timber (available), on roof, size	m	40		
	50mm x 50mm.				
E4	Applying two coat of wood preservative (stain) on roof	m^2	40		
	structure for asbestos roof measured in plan area.				
E5	Supplying and fixing Kempas timber size 100mm x		10		
	75mm for wall plate, ridge plate including application of two coats wood preservative and rate to include all				
	other necessary works as per working order.				
E4	Penlooing with new class 1 timber 50mm v 100mm		10		
E6	Replacing with new class 1 timber 50mm x 100mm (nominal) for joists/ rafters, including application of		10		
	two coats of wood preservative (stain)				
<u> </u>				<u> </u>	

ITEM	DESCRIPTION	UNIT	QTY	RATE (Rs)	AMOUNT (Rs)
E7	Replacing with new class 1 timber 50mm x 50mm (nominal) for battens including application of two coats of wood preservative (stain)	m	30	(Rs)	(RS)
E8	Refixing available Asbestos roofing sheets on an existing framework. With new nuts and bolts, apply two coats of emulsion paint on the underside of the sheet etc.	m ²	40		
E9	Supplying and fixing new asbestos roofing sheets confirming to SLS 9 on existing framework with new nut and bolts, apply twocoats of emulsion paint under side of sheetetc. (Frame work measured separately).		15		
E10	Supplying & Fixing Zn / Al Valance board of nominal girth 470mm. (The nominal base metal thickness (BMT) should be 0.42 mm and the total coated thickness (TCT) not less than 0.47 mm) including Screws. Nominal girth 470mm. The coating mass of the Zn/Al sheet is AZ150 (Minimum 150 gms/sq.m total on both sides).		12		
E11	Supplying and fixing Gutters colour Zn /Al (The nominal base metal thickness (BMT) should be 0.42 mm and total coated thickness (TCT) not less than 0.47 mm) 457mm girth with brackets not exceeding 0.6m crs. rate includes for specials. The coating mass of the Zn/Al sheet is AZ150 (Minimum 150 gms/sq.m total on both sides)		12		
E12	Supplying and fixing down pipes colour Zn/Al 100mm X 100mm (The nominal base metal thickness (BMT) should be 0.42 mm and total coated thickness (TCT) not less than 0.47 mm) with brackets not exceeding 1.2m crs. of the pipe, rate includes for specials. The coating mass of the Zn/Al sheet is AZ150 (Minimum 150 gms/sq.m total on both sides).		20		
	Sub Total carried to Summ	ary			
F	CEILING WORK				
F1	Flat asbestos ceiling Supplying & fixed with wire nails to 100mm x 50mm (nominal) joists at 1.2m c/c & 50mm x 50mm (nominal) bearers @ 0.6m c/c in class 1 timber including 35mm x 12mm (nominal) beadings and 50mm x 35mm (nominal) cove mouldings of approved timber. Rate included one coat of primer, two coats of emulsion paint to underside of ceiling and two coats of wood preservative(stain) to timber frame work.		50		
	Sub Total carried to Summ	ary			
G	<u>PAINTER</u>				
	Rates shall include for,				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	The prices shall include for preparation of surface, cleaning down, use of wall fillers and primary paint coats to obtain neat surface., sand papering etc.	Note		(Rs)	(Rs)
	Protection of floors and fittings, removing door and window furniture, and cleaning window etc. upon completion.	Note			
	Reveal, Column Projections, undersides of lintels and wall ends less than 300mm shall not be measured and shall be incorporated in other measurements. Isolated columns shall be measured for payments.	Note			
	All weathershield/ floor paints, primer shall be of approved make with non lead pigment.	Note			
	Rate to include for the cost for the scaffoldings.	Note			
G1	Cleaning fungi on surface using fungi removal & preparing surface for painting.	m ²	100		
G2	Prepare and applying two coats of filler using brush or roller to walls.	m ²	900		
G3	Prepare and applying two coats of filler using brush or roller to soffit.	m ²	200		
G4	Preparing surface and applying two coats of emulsion paint for slab soffit.	m ²	200		
G5	Paint emulsion, applying two coats to walls after cleaning and preparing surface	m^2	550		
G6	Paint enamel, applying two coats after cleaning and preparing surface.	m ²	125		
G7	Paint exterior emulsion, applying two coats to walls after cleaning and preparing on surfaces.	m ²	350		
G8	Floor paint, applying two coats after cleaning and preparing surface.	m ²	70		
G9	Polyurethane varnish, applying two coats after sand papering and cleaning surface.	m ²	35		
	Sub Total carried to Summ	ary			
Н	<u>PLUMBER</u>				
	Sanitary Fittings & Fixtures				
	Supply and installation of approved quality sanitary appliances with pipe specials, fittings, and special connecting to water supply, sewage and wastewater disposal pipes.	Note			
	Unless otherwise measured separately, Rates shall include for:				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
<u> </u>	(a) Fittings such as taps, wastewater outlets, internal	Note		(Rs)	(Rs)
	over flows etc. and supporting brackets, incidental materials for fixing.	Tvoic			
	(b) Assembling, jointing together fixing components parts, and jointing to pipes including necessary coupling and for leaving perfectly clean and in perfect working order as on completion.	Note			
	(c) all necessary fixtures for sanitary fittings and special connection to water supply, wastewater and sewer lines	Note			
	(d) Jointing and connection pipes to sanitary fittings.	Note			
	(e) Testing and commissioning of the installation.	Note			
	(f) Making good the work disturbed.	Note			
	(g) Protecting the works	Note			
	(h) All Samples should be approved by the Engineer	Note			
H1	Supplying & fixing Wash basin with pedestal Vitreous China 575 X 450 X 820mm (Rocell urban D or equivalent) and Chromium Plated Swan neck Type Pillar Tap (Rocell N091214 or equivalent) complete with Waste Plug (Rocell A38, A43 or equivalent), chromium plated waste chain & stay.	nr	2		
H2	Supply and installation of stainless steel wired Soap dish. Rate shall include all fixtures.	nr	5		
Н3	Supplying & fixing approved new closet squatting footrest type (Orissa pan-Rocel or equivalent) with trap, supplied and fixed to working order including connection to the sewer line.		3		
H4	Supplying & fixing approved cistern plastic with 20mm(1/2") chromium plated flexible hose. (Medium quality)		5		
Н5	Supplying & fixing mirror for bathroom 450mm x 600mm size approved quality with screws, plugs etc.	nr	2		
Н6	Supplying and fixing Gully Box.	nr	2		
Н7	Stainless steel floor trap cover. Approxi. 150 x 150mm size, (European or Equivalent Quality)	nr	5		
	Water Suply System				
	All Type 1000 (uPVC) pipes used in the plumbing	Note			
	All uPVC fittings and specials should be Type 1000,	Note			
	Unless otherwise measured separately, rates shall	Note			
	(a) Supply, transport to site and laying as specified.				


ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	(b) Cutting and joining of pipes and wastage of pipes.			(Rs)	(Rs)
	(c) All specials such as elbows, bends, tees, junctions,				
	(d) Necessary jointing materials i.e rubber rings,				
	(e) All costs associated with provision of all holes				İ
	(f) Necessary screws, nails, sockets, connection back				
	(g) Connecting different types of pipes.				
	(h) Testing, commissioning and disinfection after (i) Excavation, backfilling, disposal of surplus soil.				
Н8	Allow for supply and fixing valves, cleaning Eye,Elbow,Tees, Bends and unforseen Work	P.S			50,000.00
	Sub Total carried to Summ	ary			
I	WOOD WORKS				
I1	Supplying and fixing plywood door sash approved quality including of oxidized heavy duty furniture etc.	m ²	4		
I2	Supplying & fixing single hung mortise type door lock approved by engineer.	nr	2		
	Sub Total carried to Summ	ary			
J	ALUMINIUM WORK				
	Aluminium extrusion should be manufactured under the certification of ISO 9001:2008				
	The work shall include supply, fabricate and installation of doors, windows out of Aluminium Sections. Tolerance for thickness of the section is \pm 10% from the specific thickness given in the manufactures made.				
	Concealed screws, nuts, bolts, rivets and other fastening devices shall be of Aluminium, non magnetic stainless steel or other approved corrosive resistant materials. If visible, they shall blend with the finish of the framing Aluminium Sections.				
	For each fabrications, a shop drawing shall be furnished to the Engineer, One month prior to the installation commencement and should get the approval for the same.				
	Samples of hinges, Aluminium sections, Al composite boards etc shall be forwarded by the contractor for prior approval of the Engineer.				
	The fabrication and installation of all aluminium work must be carried out by specialist tradesman.				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	It shall be bidder's responsibility to check the sizes of all openings on site, prior to fabrication.			(Rs)	(Rs)
	Supply, assemble and fix in position aluminium framed glazed aluminium sash door, window, fanlight, partition units complete with sealant glazing screwed beadings, locks, fasteners, gasket, hardware and fittings all complete as per detail drawing.				
	Rate shall include for testing for Hardness, profile thickness, coating thickness of Aluminium extrusions				
	Details of Aluminium Sections and accessories to be used if not specified separately.				
	for Sash Doors - Width of Top bar-80mm Width of Middle bar-100mm Width of Bottom bar-120mm				
	Glass Doors - 6mm thick clear float glasses Gardian or equivalent				
	Lock (if not separately specified) -Door lock with triplicate keys (Mortice type) Alpha or equivalent.				
	Hinges - 04 nos Stainless Steel (304) (Kinglong) hinges to be provided for a door sash if not separately specified				
J1	Powder coated double sash butt hinged openable door with middle rail and louvers on top, panelling with aluminium composite panel of total thickness 4mm, with both sides Polyester coated aluminium sheets of 0.2mm thick at bottom panel and glazed with 5mm thick clear glass panes at top panel, neoprene and wooled beading, gaskets, pop rivots, threaded bar with nut and approved quality lock, butt hinges, door handle with cap nut. As per the members, sizes and details given in Drawing No: GHP/JMO/TYP/DD/D 14		4		
J2	Fabricating and fixing Powder-coated aluminium hinged type sash Bathroom door with aluminium architectural sections with 60-80 micron coating glazed and panelled with 3mm cladding board at bottom and top. Including door lock with handle etc. Sizes and details given in Drawing No: GHP/JMO/TYP/BD		9		
Ј3	Fabricating and fixing Powder-coated aluminium glazed fanlight with openable sash with aluminium architectural sections with 10 - 15 micron coating glazed 4.6 mm thick glass including all necessary rubber beading, rawl plug etc. Sizes and details given in Drawing No: GHP/JMO/TYP/FL		2		
	Sub Total carried to Summ	ary			


ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
				(Rs)	(Rs)
K	ELECTRICAL WORKS				
K1	Supply and installation of Surface type, 300mmx1200mm 36W LED panel light fitting, minimum flux 4600 lumens with accessories.	nr	2		
K2	Supply and installation of 1200 mm long single 20W LED Tube light fitting, minimum flux 2000 lumens with all accessories.		12		
K3	Supply and installation of 600mm long 8W LED tube bulb, minimum flux 800 lumens with accessories.	nr	3		
K4	Supply and installation of recessed (ceiling embedded) type 12W LED panel lamp fitting in working order.(Shall have minimum two year warranty period)		5		
K5	Supply and installation of type 2 (approved by the engineer) wall fan with speed regulator in working order-		1		
K6	Wall fan point wiring completed - to be carried out with 2 x 1.0 mm2 PVC insulated PVC sheathed copper cables and 2.5 mm2 earth cable wired with PVC casing on wall and on soffit of the slabs to be supplied and installed in working order		1		
K7	Allow for removing non workable electrical fiitings, re arrange electrical wirings and other unforeseen works	P.S			100,000.00
	Sub Total Carried to Summ	ary			
L	MISCELLANEOUS WORKS				
L1	Supplying & fixing colour Zn/Al. roofing sheets with self-drilling screws (fasteners) on the framework - Frame work measured separately. The nominal base metal thickness of the Roofing sheet (BMT) should be 0.42 mm and the total coated thickness (TCT) not be less than 0.47 mm, HI-Tensile steel with minimum 550 Mpa yield strength, the Coating mass of the roofing sheet is AZ150 (Minimum 150 gms/sq.m total on both sides). For the Zn/Al sheets, 10 years of guarantee should be given by the manufacture		10		
L2	Demolishing bricks / Masonry block walls, Plastering walls, Re - make existing concrete ledge, repairing damaged timber doors, repairing plumbing works, rearrange electrical wirings, repairing roof plumbing work & other unforeseen works.				500,000.00
	Sub Total carried to Summ	ary			


SECTION - 8

DRAWINGS




GHP/JMO/TYP/BD





Elevation of Door (inside View)




LHESE SECTIONS CAN BE "ALCO" BRAND OR EQUIVALENT.

ZECLIONZ' PTC-BD-01'PTC-BD-03' PTC-BD-03'PTC-BD-04 OK ZIMIT'∀K NZED ZECLIONZ

GHP/JMO/TYP/FL

41mm 1.2thk Casement Window



SECTION - 9

STANDARD FORMS (BID)

• Bidders shall submit the completed Form of Bid Security/Bid Securing Declaration as appropriate in compliance with the requirements of the bidding documents.

FORM OF BID SECURITY

[Insert issuing agency's name and address of issuing branch or office]
Beneficiary: Director, Teaching Hospital, Peradeniya.
Date: [Insert (by issuing agency) date]
We have been informed that
Furthermore, we understand that, according to your conditions, Bids must be supported by a Bid Guarantee.
At the request of the Bidder, we
[insert amount in words] upon receipt by us of your first demand in writing accompanied by a written statement stating that the bidder is in breach of its obligation(s) under the bid conditions, because the Bidder:
(a) has withdrawn its Bid during the period of bid validity specified; or(b) does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB"); or(c) having been notified of the acceptance of its Bid by the Employer during the period of bid validity, (i) fails to refuses to execute the Contract Form, if required, or (ii) fails to refuses to furnish a Performance Security, in accordance with the ITB.

- This Guarantee shall expire:
 - (a) if the Bidder is the successful bidder, upon our receipt of copies of the Contract signed by the bidder and the Performance Security issued to you by the Bidder; or
 - (b) If the Bidder is not the successful bidder, upon the earlier of the successful bidder furnishing the performance security, otherwise it will remain in force up to 28 days beyond the validity of the bid. (.....)

before that date.
(Singular of much arised names and the sold)
[Signature of authorized representative(s)]
Common Seal (Signature, Name, and Address)

Non-collusion Affidavit

The undersigned bidder or agent, hereby solemnly, sincerely, and truly declares and

affirms/makes an oath and states as follows;

a) That he/she has not, nor has any other member, representative, or agent of the firm,

company, corporation, or partnership representing him/her, entered into any combination,

collusion, or similar agreement with any person in connection with the price to be bid;

b) That he/she or anyone representing him/her has not taken any step whatsoever to prevent

any person from bidding, nor to induce anyone to refrain from bidding; and

c) That this bid is made without reference to any other bid and without any agreement,

understanding, or combination with any other person in reference to this bid.

He/she further states that no person, firm, or corporation has received or will receive, directly

or indirectly, any rebate, fee, gift, commission, or thing of value in connection with the

submission of this bid.

The bidder accepts full responsibility for ensuring the absence of collusion and hereby pledges to abide by fair and ethical competition practices throughout the procurement

process and fully comply with the applicable Procurement Guidelines.

I hereby affirm, under the penalties for perjury, that all statements made by me in this

affidavit are true and correct.

The foregoing Affidavit having been

duly read over and explained by me to

the Affirmant above named and he/she

having understood the contents therein

and admitted to be correct, affirmed and

set his/her signature hereto before me)

on this day of ... at ...

BEFORE ME,

JUSTICE OF THE PEACE/COMMISSIONER OF OATHS

36

Check List for Bidders

Bidders are advised to fill the following table:

ITEM	ITB Clause	Yes (tick)	REFERENCE
Form of Bid			
Addressed to the Employer?	18		
Completed?	18		
Signed?	18		
Bid securing Declaration form (if required)			
Properly filled and singed	16		
Bid Security (if required)			
Addressed to the Employer?	16		
Format as required?	16		
Issuing Agency as specified?	16		
Amount and currency as requested?	16		
Validity 28 days beyond the validity of Bid?	16		
Qualification Information			
All relevant information completed?	4		
Signed?	4		
Addendum		•	
Contents of the addendum (if any) taken in to account?	10		
BID package			
All the documents given in ITB Clause 12 enclosed in the original and copy?	12		
ITB Clause 19 followed before Sealing the Bid Package?	19		